



Brightest Energy saving Affordable LED Lightings from Vista



PRODUCT CATALOGUE



LIGHTS THAT KEEP
YOU IN FOCUS



Delta Antiglare COB



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH TEMPERATURE PROTECTION (HTP)



HIGH VOLTAGE PROTECTION (HVP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimenitions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Delta COB	7w	220-240V	63D*61H mm	55mm	Round	Alluminium	38 Degrees	indoor	760.00
Delta COB	12w	220-240V	84D*61H mm	75mm	Round	Alluminium	38 Degrees	indoor	990.00
Delta COB	12w (3in1)	220-240V	84D*61H mm	75mm	Round	Alluminium	38 Degrees	indoor	1130.00
Delta COB	18w	220-240V	90D*87H mm	80mm	Round	Alluminium	38 Degrees	indoor	1300.00

Applications

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

○ Body Colour: White

Delta Antiglare COB



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimentions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Delta COB	7w	220-240V	63D*61H mm	55mm	Round	Alluminium	38 Degrees	indoor	760.00
Delta COB	12w	220-240V	84D*61H mm	75mm	Round	Alluminium	38 Degrees	indoor	990.00
Delta COB	12w (3in1)	220-240V	84D*61H mm	75mm	Round	Alluminium	38 Degrees	indoor	1130.00
Delta COB	18w	220-240V	90D*87H mm	80mm	Round	Alluminium	38 Degrees	indoor	1300.00

Applications

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

● Body Colour: Black

Delta Antiglare COB With reflector



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH TEMPERATURE PROTECTION (HTP)



HIGH VOLTAGE PROTECTION (HVP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimensions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Delta Reflector	7w	220-240V	74D*63H mm	65mm	Round	Alluminium	38 Degrees	indoor	900.00
Delta Reflector	12w	220-240V	85D*76H mm	75mm	Round	Alluminium	38 Degrees	indoor	1250.00
Delta Reflector	12w (3in1)	220-240V	85D*76H mm	75mm	Round	Alluminium	38 Degrees	indoor	1400.00
Delta Reflector	18w	220-240V	95D*90H mm	85mm	Round	Alluminium	38 Degrees	indoor	1600.00

Applications

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

Body Colour

○ White ● Black

Reflector

Rose Gold | Black | Crome

Amor Antiglare COB With reflector



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimenitions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Amor COB	7w	220-240V	74D*50H mm	65mm	Round	Alluminium	38 Degrees	indoor	780.00
Amor COB	12w	220-240V	85D*65H mm	80mm	Round	Alluminium	38 Degrees	indoor	1020.00
Amor COB	12w (3in1)	220-240V	85D*65H mm	80mm	Round	Alluminium	38 Degrees	indoor	1150.00
Amor COB	18w	220-240V	95D*75H mm	90mm	Round	Alluminium	38 Degrees	indoor	1340.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

Body Colour

○ White ● Black


Reflector

Rose Gold | Black

Bruno Linear Blade



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimentions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Bruno Linear Blade	6w/3T	220-240V	95D*35H mm	85*40	Rectangle	Alluminium	38 Degrees	indoor	800.00
Bruno Linear Blade	10w/5T	220-240V	150D*35H mm	140*40	Rectangle	Alluminium	38 Degrees	indoor	900.00
Bruno Linear Blade	20w/10T	220-240V	285D*40H mm	275*40	Rectangle	Alluminium	38 Degrees	indoor	1750.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

Body Colour

○ White ● Black

Reflector : Rose Gold | Black

Fussion Deep COB and POPOUTS



LED Lighting
You Wish, We Make



Fussion COB

Product Name	Wattage	Input Voltage	Housing	Beam Angle	IP Rate	MRP
Deep COB Honeycomb	6W	220-240V	Alluminium	38 Degrees	indoor	850.00
POPOUT	6W	220-240V	Alluminium	38 Degrees	indoor	1140.00

Fussion Housing

Product Name	Cutout	Shape	Housing	IP Rate	MRP
1T Round	55mm	Round	Alluminium	indoor	390.00
1T Square	55*55mm	Square	Alluminium	indoor	390.00
2T	45*95mm	Rectangle	Alluminium	indoor	590.00
3T	45*130mm	Rectangle	Alluminium	indoor	785.00
5T	45*215mm	Rectangle	Alluminium	indoor	1050.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Neutral White (4000K)
Warm White (3000K)

○ Body Colour: White

Magnetic Tracklights



LED Lighting
You Wish, We Make



Linear Blade Movable



Diffuser Movable



Linear Blade Magnetic



Diffuser Magnetic



Conceal
Magnetic Track



Driver



Spot Tracklight Magnetic

Magnetic Tracklights



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Size	Housing	MRP
Surface Bar	1 Meter	Alluminium	2,000.00
Surface Bar	2 Meter	Alluminium	2,800.00
Conceal Bar	1 Meter	Alluminium	2,000.00
Conceal Bar	2 Meter	Alluminium	3,600.00

Product Name	Wattage	Input Voltage	Dimention	Cutout	Housing	Beam Angle	IP Rate	MRP
Linear Blade Magnetic	12W	48V	245mm	245mm	Alluminium	38 Degrees	indoor	2000.00
Linear Blade Magnetic	18w	48V	360mm	360mm	Alluminium	38 Degrees	indoor	3200.00
Diffuser Magnetic	12w	48V	245mm	245mm	Alluminium	38 Degrees	indoor	2000.00
Diffuser Magnetic	18w	48V	360mm	360mm	Alluminium	38 Degrees	indoor	3200.00
Linear Blade Movable	6w	48V	115mm	115mm	Alluminium	38 Degrees	indoor	2800.00
Linear Blade Movable	12w	48V	225mm	225mm	Alluminium	38 Degrees	indoor	3600.00
Diffuser Movable	12w	48V	225mm	225mm	Alluminium	38 Degrees	indoor	3600.00
Tracklight Magnetic	10w	48V	100mm	100mm	Alluminium	38 Degrees	indoor	2900.00
Driver	100w	220-240V	220mm	220mm	Alluminium	38 Degrees	indoor	3600.00
Driver	200w	220-240V	325mm	325mm	Alluminium	38 Degrees	indoor	4400.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Neutral White (4000K)

● Body Colour: black

Cylinder COB With reflector



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimintions	Shape	Housing	Beam Angle	IP Rate	MRP
Amor COB	7w	220-240V	58D*80H	Round	Alluminium	38 Degrees	indoor	920.00
Amor COB	12w	220-240V	72D*90H	Round	Alluminium	38 Degrees	indoor	1200.00
Amor COB	18w	220-240V	85D*100H	Round	Alluminium	38 Degrees	indoor	1650.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Neutral White (4000K)
Warm White (3000K)

Body Colour


● White ● Black

Reflector: Rose Gold | Black

YOUR SPACES DESERVE A SPARK OF ELEGANCE

Choose **Vista** LEDs For Reliable
Lighting Solutions For Every Need





Product Name	Colour Temp	LED's per Meter	Dimensions	Input Voltage	Length per roll	Layer	Beam Angle	IP Rate	MRP
240 LED Strip	Warm white(3000K)	240	10mm	12V	5mtr	Copper	120 degree	indoor	1300.00
240 LED Strip	Neutral white (4000K)	240	10mm	12V	5mtr	Copper	120 degree	indoor	1300.00
240 LED Strip	Cool White (6500K)	240	10mm	12V	5mtr	Copper	120 degree	indoor	1300.00
120 LED Strip	Warm white(3000K)	120	8mm	12V	5mtr	Copper	120 degree	indoor	1000.00
120LED Strip	Neutral white (4000K)	120	8mm	12V	5mtr	Copper	120 degree	indoor	1000.00
120LED Strip	Cool White (6500K)	120	8mm	12V	5mtr	Copper	120 degree	indoor	1000.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Also Available

- 3in1
- Running (Price available on request)

Profile SMPS



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)



Product Name	Wattage	Input Voltage	output Voltage	Shape	Housing	IP Rate	MRP
5A SMPS	60w	220-230V AC	12V DC	Rectangle	Alluminium	indoor	700.00
10A SMPS	120w	220-230V AC	12V DC	Rectangle	Alluminium	indoor	1100.00
16.5A SMPS	200w	220-230V AC	12V DC	Rectangle	Alluminium	indoor	1800.00
25A SMPS	300w	220-230V AC	12V DC	Rectangle	Alluminium	indoor	2500.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Load Specification


AMPS	WATTAGES	240LED	120LED
5A	60W	3MTR	6MTR
10A	120W	6MTR	12MTR
16.5A	200W	10MTR	20MTR
25A	300W	15MTR	30MTR

Each Strip should be used at a maximum length of 6meters for one connections on SMPS.

Profiles



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Width	Cutout*Height	Housing	IP Rate	MRP
Conceal Profile	22mm	17*7mm	Alluminium	indoor	120.00
Conceal Profile	23mm	17*14mm	Alluminium	indoor	260.00
Conceal Profile	22mm	16*12mm	Alluminium	indoor	260.00
Conceal Profile	17mm	12*6mm	Alluminium	indoor	260.00
Conceal Profile	21mm	14*9mm	Alluminium	indoor	260.00
Conceal Profile	32mm	25*12mm	Alluminium	indoor	260.00
Conceal Profile	16*16mm	Surface	Alluminium	indoor	260.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour

Innonized

● Body Colour: White

 Vista[®]

**Illuminate.
Inspire.
Elevate.**



Tiltable COB



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimenstions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Tiltable COB	4W	220-240V	59D*40H mm	50mm	Round	Alluminium	60 Degrees	indoor	480
Tiltable COB	7w	220-240V	83D*58H mm	70mm	Round	Alluminium	60 Degrees	indoor	800
Tiltable COB	15w	220-240V	104D*73H mm	90mm	Round	Alluminium	60 Degrees	indoor	1100
Tiltable COB	24w	220-240V	123D*92H mm	110mm	Round	Alluminium	60 Degrees	indoor	1800
Tiltable COB	30w	220-240V	149D*101H mm	130mm	Square	Alluminium	60 Degrees	indoor	2100

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp


Cool White (6500k)
Neutral White (4000K)
Warm White (3000K)

○ Body Colour: White

Spot Lights



LED Lighting
You Wish, We Make



Product Name	Wattage	Body Colour	Input Voltage	Dimentions	Cutout	Shape	Housing	IP Rate	MRP
2w Spotlight	2w	White	220-240V	40D*12H mm	35mm	Round	PC	indoor	130.00
3w Spotlight	3w	Rose Gold	220-240V	39D*29H mm	30mm	Round	Alluminium	indoor	300.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Warm White (3000K)

Deep Downlighters



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimintions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Deep Downlighter	12w	220-240V	120D*50H mm	110mm	Round	Alluminium	120 Degrees	indoor	720.00
Deep Downlighter	12w (3in1)	220-240V	120D*50H mm	110mm	Round	Alluminium	120 Degrees	indoor	850.00
Deep Downlighter	18w	220-240V	155D*55H mm	140mm	Round	Alluminium	120 Degrees	indoor	960.00
Deep Downlighter	24w	220-240V	175D*55H mm	170mm	Round	Alluminium	120 Degrees	indoor	1500.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

○ Body Colour: White

PC Panels



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH TEMPERATURE PROTECTION (HTP)



HIGH VOLTAGE PROTECTION (HVP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimensions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Bliss Eco	8w	220-240V	115D*25H mm	100mm	Round	PC	120 Degrees	indoor	300.00
Bliss Eco	12w	220-240V	140D*25H mm	125mm	Round	PC	120 Degrees	indoor	480.00
Bliss Eco	12w (3in1)	220-240V	140D*25H mm	125mm	Round	PC	120 Degrees	indoor	580.00
Bliss Eco	15w	220-240V	165D*25H mm	150mm	Round	PC	120 Degrees	indoor	560.00
Bliss Eco	22w	220-240V	215D*25H mm	200mm	Round	PC	120 Degrees	indoor	700.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

3in1

○ Body Colour: White

Slim Aluminium Panels



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH TEMPERATURE PROTECTION (HTP)



HIGH VOLTAGE PROTECTION (HVP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimensions	Cutout	Shape	Housing	Beam Angle	IP Rate	MRP
Slim Panel	6w	220-240V	120D*12H mm	100mm	Round	Aluminium	120 Degrees	indoor	340.00
Slim Panel	12w	220-240V	170D*12H mm	150mm	Round	Aluminium	120 Degrees	indoor	600.00
Slim Panel	15w	220-240V	170D*12H mm	150mm	Round	Aluminium	120 Degrees	indoor	660.00
Slim Panel	18w	220-240V	220D*12H mm	200mm	Round	Aluminium	120 Degrees	indoor	840.00
Slim Panel	24w	220-240V	300D*12H mm	275mm	Square	Aluminium	120 Degrees	indoor	1500.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White
(6500K)

● Body Colour: White



Product Name	LED Per Meter	Input Voltage	Dimensions	Shape	Housing	Beam Angle	IP Rate	MRP
Ropelight WW / CWH	120	220-240V	10mm	Round	PLASTIC	360 Degrees	Outdoor	120.00
Ropelight Colour	120	220-240V	10mm	Round	PLASTIC	360 Degrees	Outdoor	130.00
Ropelight RGB	60	220-240V	12mm	Round	PLASTIC	360 Degrees	Outdoor	160.00
Ropelight Adaptor		220-240V			PLASTIC			100.00
RGB Adaptor		220-240V			PLASTIC			500.00



LED Lighting
You Wish, We Make

Colour Temp

Warm white
Blue
Pink
Red
Green
Ice Blue
Orange
RGB

Tracklights



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimensions	Housing	Beam Angle	IP Rate	MRP
Tracklight	12w	220-240V	100mm	Aluminium	38 Degrees	indoor	1200.00
Tracklight	24w	220-240V	135mm	Aluminium	38 Degrees	indoor	1760.00
Tracklight	30w	220-240V	150mm	Aluminium	38 Degrees	indoor	2160.00

Product Name	Size	Dimensions	Housing	MRP
Surface Bar	1 Meter	1000mm	Aluminium	300.00
Surface Bar	2 Meter	2000mm	Aluminium	600.00

Uses:-

- Residential and Duplex Buildings
- Offices and show rooms
- Hotels and Banquet Halls
- Coffee and Lounges
- Hospitals
- Gyms
- Malls and Restaurants

Colour Temp

Cool White (6500K)
Neutral White (4000K)
Warm White (3000K)

Body Colour

○ White ● Black



SMARTER LEDs

Life Is Better With
Smart Lightings



Floodlights



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH VOLTAGE PROTECTION (HVP)



HIGH TEMPERATURE PROTECTION (HTP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimensions	Shape	Housing	Beam Angle	IP Rate	MRP
Floodlight	50w	220-240V	245*190*35	Rectangle	Aluminium	180 Degrees	indoor	2250.00
Floodlight	100w	220-240V	320*250*45	Rectangle	Aluminium	180 Degrees	indoor	4250.00
Floodlight	150w	220-240V	380*300*60	Rectangle	Aluminium	180 Degrees	indoor	6200.00

Uses:-

- Ventures
- Stadiums
- Hotels
- Hospitals
- Roads & Buildings

Colour Temp

Cool White
(6500K)

Body Colour

○ Grey ● Black

Streetlights



LED Lighting
You Wish, We Make



HIGH LUMENS OUTPUT



HIGH TEMPERATURE PROTECTION (HTP)



HIGH VOLTAGE PROTECTION (HVP)



HIGH CURRENT PROTECTION (HCP)

Product Name	Wattage	Input Voltage	Dimentions	Housing	Beam Angle	IP Rate	MRP
Streetlight	24w	220-240V		Alluminium	180 Degrees	Outdoor	1500
Streetlight	36w	220-240V		Alluminium	180 Degrees	Outdoor	1900
Streetlight	50w	220-240V		Alluminium	180 Degrees	Outdoor	2700
Streetlight	100w	220-240V		Alluminium	180 Degrees	Outdoor	3900

Uses:-

- Ventures
- Stadiums
- Hotels
- Hospitals
- Roads & Buildings

Colour Temp

Cool White
(6500K)

Body Colour

- ☐ Grey ☒ Black
☐ White



**PERSONALISED
LED LIGHTING SOLUTIONS**

Vista



Contact for more Information:

+91 93969 90252 | 96666 20060

✉ vistaenterprises2019@gmail.com

Ramakrishna Colony, REC Road, Subedari, Hanamkonda